SHARP





Stepped-Up Performance from a Sharp-Enhance

Four-in-one function, enhanced ease of use, increased energy efficiency, and easy expandability make the MX-M314N/M264N the upgraded MFD no busy office should be without.

Along with fast, high-quality copying and network printing, this A3 B/W solution offers full-colour network scanning capability and a convenient fax option—all in one attractive, space-saving unit. To boost productivity, the MX-M314N/M264N features a high-speed 100-sheet Reversing Single Pass Feeder as well as other business-supporting functions. Opting for the innovative Sharp OSA (Open Systems Architecture) development platform will open the door to more advanced functions—and greater efficiency—through easy integration with network applications.

For added benefit, the MX-M314N/M264N's environmentally advanced design enables low power consumption, and its multi-layered security solutions provide reliable data protection.

Style, Function, and Ease of Use

Sleek and streamlined, the MX-M314N/M264N enhances the décor of any workplace. Thanks to a 7.0-inch WVGA touchscreen colour LCD control panel—with optional thumbnail display and data file previews—it raises the bar on user friendliness and easy navigation. A retractable QWERTY keyboard option offers added convenience.





Choice of Screen Style

The MX-M314N/M264N offers a choice of six LCD screen colours and a universal design screen. While the default colour is green, users can easily select their preferred background style.











ced Solution

A3 Colour Network Scanning

With the colour-scan-capable MX-M314N/M264N, paper-based documents can be scanned into digital form, making them easier to organise, store, and distribute. Documents containing colour photos, illustrations, and highlighting can be scanned and saved in their original colours as digital data for use in presentations, reports, ads, and other mediums where colour makes for more effective communication.



Advanced Environmental Performance

The MX-M314N/M264N boasts state-of-the-art environmental technologies and a range of eco-functions. A short warm-up time is just one of the pluses making this MFD a real energy saver. Dramatically reduced power consumption also means that TEC values*1 are significantly lower than the maximum allowable values determined by ENERGY STAR®.


*1 Typical amount of energy consumed in a hypothetical week measured as stipulated under the ENERGY STAR® programme. Value is for total electricity consumed during five days of use, cycling between full operation and Sleep mode or turned off, and two days in Sleep mode or turned off.


Short Warm-Up Time





Lower TEC Value





^{*2} Measured at 230V



COPYING & NETWORK PRINTING

Space-Saving Inner Finisher

PRODUCTIVE

Super-Efficient Output

misfeeds and thereby saves paper.



The MX-M314N/M264N delivers a fast output of 31/26 cpm/ppm*, reducing the time it takes to produce large-volume documents with memory-intensive graphics. The first copy comes out in just 4.4/4.9 seconds to save valuable time when performing multiple short-run jobs. What's more, the short, straight paper path minimizes

* A4, long-edge feeding

(or print data sent from PC)







With the help of this space-efficient **Finisher** option, the MX-M314N/M264N can handle document sorting and stapling jobs with automated ease.





Productive Collated Output from Memory 🗐 🖶



The MX-M314N/M264N's Scan Once/Print Many function only requires a single scan of a multi-page original for copying, and the RIP Once/Print Many function only needs to download print data once from the PC for printing. The machine then automatically saves the data into memory and outputs collated sets of copies or printouts in the proper page order (electronic sorting), with each set offset stacked for easier retrieval.



in proper page order.

Large Paper Capacity





For large-volume jobs and a wider selection of available paper sizes, the MX-M314N/M264N can accommodate two types of extra paper drawers for a total paper capacity of 2,100 sheets. When a tray

runs out of paper, the Auto Tray Switching function automatically switches to another paper tray filled with the same size paper, allowing you to do extra large volume jobs without worry.

Built-In Stackless Duplex Module





The MX-M314N/M264N can make two-sided copies and printouts using its built-in stackless duplex module, effectively reducing paper costs as well as saving filing space. Duplex copying is even more effective when the duplex module is used together with the 100-sheet RSPF (reversing single pass feeder), which efficiently feeds in either one or two-sided originals.

Network Tandem Function*






When two MX-M314N/M264Ns are connected to the same office network, you can use both simultaneously to double copying/printing output to up to 62/52 cpm/ppm. Large-volume jobs can be completed with ease, enabling you to meet tight deadlines

* Requires optional MX-HD12.

Job Offset and Job Separator







letting you send some of those jobs there, rather than to the main tray. You could, for example, send your printer output to the Job Separator Tray to keep it separate from any copies and faxes in the main tray.



Job Build for Large-Volume Scanning



The MX-M314N/M264N easily handles large-volume copy jobs exceeding the RSPF's 100-sheet* capacity. For example, a 270-sheet original can be scanned as batches of 100 + 100 + 70sheets and automatically stored in the MFD's memory. Users can then print the entire document in a single run.

* A4, 80 g/m²

Proof Copying or Printing*



To prevent the waste of large-volume misprints, the MX-M314N/M264N lets users output only the first set to check the content, adjust settings if necessary, and then initiate output of the rest of the job from the LCD control panel.

* Requires optional MX-HD12.






NETWORK-READY

Supports Most Office Environments



- The MX-M314N/M264N works as a network printer with the latest and most commonly used operating systems and network protocols, including IPv6, and even in mixed OS environments. You get fast, powerful network printing via the 1000Base-T Gigabit Ethernet standard.
- The MX-M314N/M264N supports the PCL6 printer language. For compatibility with **PostScript 3**, the MX-PK11 PS3 Expansion Kit is available.




SUPERB IMAGE QUALITY


1,200 x 600-dpi Printing



The MX-M314N/M264N's print engine provides razor-sharp 1,200 x 600-dpi printing—without sacrificing output speed—for

ultra-clear image quality. Fine lines and small text come out crisper and easier to read.





Optimum Copy Quality



600-dpi resolution and 256-level greyscale ensure finely detailed reproduction, while Digital Auto Exposure Control provides optimum copy contrast. For best results, there are seven exposure modes to choose from. Users can, for example, select Text mode for text-only originals or Photo mode for detailed, high-quality reproduction of photos and delicate halftone images.

VERSATILE

USB Memory Direct Print*



One of the two USB ports on the MX-M314N/M264N is located at the front of the MFD beneath the control panel. It comes in handy when printing data directly from USB memory devices—an indispensable function for users who are in a hurry or who want quick machine access without a PC.

* For both models, direct TIFF/JPEG printing requires optional MX-HD12; direct PDF printing requires optional MX-HD12 and MX-PK11.



Other Key Features





Copy & Print

- Watermark* prints a user-selected watermark, such as "Urgent," on each page to indicate the status of the document. * Requires optional MX-HD12.
- Tab Copy / Tab Print can copy or print directly onto tabs on document separators and insert them into assigned positions.
- Multi-Shot copying and N-up printing
- Pamphlet Style copying/printing
- Multi-Page Enlargement copying/printing
- Cover/transparency insertion

Versatile Paper Handling

The MX-M314N/M264N accommodates a wide range of paper sizes, from A5 to A3. It can also handle heavy paper stock up to 200 g/m², overhead transparencies, and other types of paper, further expanding the range of printing applications.

Print

- Direct Print*1 allows PDF, TIFF, or JPEG files to be printed without using the printer driver or opening applications.
- Carbon Copy Print mode automatically outputs multiple printouts of the same data on plain and/or coloured paper; convenient for invoices and purchase orders.
- Barcode font compatibility*2
 - *1: Direct TIFF/JPEG printing is standard.Direct PDF printing requires MX-PK11. Direct printing may not support all PDF, TIFF, and JPEG formats.
- 2: Requires optional MX-PF10.

Image Editing Functions



The MX-M314N/M264N includes various editing functions made possible by digital technology.

- Photo Repeat places multiple copies of an image onto a single sheet
- Mirror Image makes a reverse image of the original.
- XY Zoom adjusts the horizontal and vertical ratios independently.
- **B/W Reverse** reverses the black and white of an image. Please see specifications for a list of available convenient functions.

Copy

- Book Copy is convenient for compiling copies of a book or bound originals into pamphlet format.
- Card Shot enables easy copying of both sides of a card (credit cards, ID cards, etc.) onto a single page.
- Mixed Size Original Copy mode automatically distinguishes documents of mixed sizes* (such as A3/B4, B4/A4, etc.) fed through the RSPF and chooses the appropriate paper.
 - * Some restrictions apply when combining paper sizes of different format series.



IMAGE SENDING







A3 Colour Network Scanning



The MX-M314N/M264N works as a **full-colour network scanner**. Converting any type of paper-based document, up to A3 in size, into an editable digital file is as easy as making a copy. The MX-M314N/M264N supports TIFF, PDF, PDF/A, encrypted PDF, XPS, and JPEG file formats. Enhanced scan performance improves the legibility of extremely fine text and allows vivid colour reproduction in scanned documents. Auto Colour Selection chooses the right mode for scanning originals containing both colour and B/W pages.

High-Speed Faxing



The optional MX-FX11 Fax Expansion Kit turns the MX-M314N/M264N into a 33.6 Kbps Super G3 fax machine. Using JBIG compression technology, the MX-M314N/M264N can send an A4 size page in under 3 seconds*. Use the 100-sheet RSPF to further boost faxing efficiency. Furthermore because Quick On-Line Transmission can start dialling and transmitting as soon as the first page is scanned into memory, you can send documents in much less time.

* Based on Sharp's standard chart with approximately 700 characters long-edge feeding) at standard resolution.

Quick Scanning





For both colour*1 and B/W documents, the MX-M314N/ M264N carries out scanning at the impressive speed of 50 opm*2 (originals per minute) and can complete large scan jobs with ease and efficiency.

*1: Faxing is available in B/W only. *2: Single-side scanning

PC-Fax/PC-Internet Fax*



Directly send a document created on your PC to a recipient's fax machine via a phone line or the Internet without printing to paper. Save time and paper costs while retaining original document quality.

* PC-Internet Fax requires optional MX-HD12 and MX-FWX1; PC-Fax requires MX-FX11.


Multiple Distribution of Scanned Files 🗏 🔒



With the touch of a few on-screen buttons, you can choose different ways to distribute your scanned documents. Scan to E-mail sends documents as an e-mail attachment. Scan to FTP Server scans documents directly to an FTP server for storage. Scan to **Desktop** sends scanned documents directly to your PC desktop. Scan to Network Folder (SMB) sends files to a shared folder on a networked Windows PC. Scan to USB Memory* scans documents directly to USB memory devices. Scan to Fax

* Scan to USB memory is standard on both models (MX-NSX1 is not required).

enables conventional faxing or Internet faxing.



Internet Fax*



Economically send and receive faxes to and from other T-37compliant Internet fax machines via the Internet. Thanks to **Direct SMTP** support, outgoing Internet faxes do not go through your mail server, making transmission faster and cheaper.

* Requires optional MX-HD12 and MX-FWX1.

Paperless Faxing with Inbound Routing*



Paperless faxing with inbound routing lets you check incoming faxes via e-mail before printing them out. It can also forward incoming faxes to destinations—another fax/Internet fax machine, an FTP server, a network folder (SMB), or a PC desktop—specified for each sender.

* Requires optional MX-HD12 and MX-FX11 or MX-FWX1.

Other Key Features

Scan & Fax

- One-touch auto dial keys register up to 1,000 numbers for frequently used destinations
- Broadcast transmission to up to 500 destinations
- Programme keys (up to 48 keys) are available to set up frequently used transmissions for instant recall
- Easy text entry* lets you enter addresses, file names, subject titles or messages from the LCD control panel * Only addresses can be entered for faxing.
- Mixed size original scanning automatically distinguishes documents of mixed sizes fed through the RSPF

LDAP Support





Built-in LDAP (lightweight directory access protocol) support eliminates the need to enter or register full addresses. By entering the first few letters of the recipient's name, the MX-M314N/

M264N displays a list of possible matches from your company's LDAP server. Selected addresses can be stored to the MX-M314N/ M264N's address book.



Fax

- Duplex transmission/reception sends and prints out two-sided documents
- SD memory card backup ensures documents remain safely backed up in memory, even in the event of a power failure
- Rotation transmission/reception rotates incoming and outgoing faxes to match the direction of the printing paper
- Fax destination confirmation allows users to reconfirm fax numbers before sending to prevent transmission errors



SECURITY


Industry-Leading Multi-Layered Security

With multiple levels of network and data security to cover a wide range of security needs, Sharp's industry-leading security solutions protect your business assets and bring peace of mind. The MX-M314N/M264N safeguards sensitive data with powerful, enhanced security functions that eliminate the worry of unauthorised use and guarantee greater protection for your confidential information.

Secure Network Access

The **IP/MAC** address filtering function provides highly secure operation by restricting access to the MFDs on your office

network. Only PCs that have either their IP address or MAC (media access control) address registered are allowed to use the MFDs. Attempted access from an unknown IP or MAC address will be denied, preventing unauthorised use. The MX-M314N/M264N also supports the IEEE 802.1X standard for port-based network access control, which blocks all access from unauthorised devices.



Data Security Kit

Digital copier/printers or MFDs can retain hundreds of pages of confidential information from previous jobs on their hard disks or

internal memory. To safeguard this information from unauthorised access, the optional **Data Security Kit** automatically **encrypts and erases** the data from each completed job as well as the data stored on the hard disk and in the address book.

Confidential Print

To keep others from seeing confidential documents as they are being printed out, the MX-M314N/M264N's Confidential Print function requires the user to enter in a PIN (personal identification number) at the machine before printing can begin.



Encrypted PDF with Password Protection

To prevent unauthorised viewing of confidential image data, the MX-M314N/M264N enables users to password protect and encrypt PDF data. By setting a password when scanning, users can transmit a PDF over the network in encrypted format. Then, after transmission, viewers will only gain access to the encrypted PDF after successfully re-entering the chosen password.

Note: Direct printing of encrypted PDF files requires optional MX-HD12.



User Authentication

The MX-M314N/M264N prevents unauthorised use by requiring **passwords** for machine access. This safeguarded solution can register up to 1,000 users in **three access levels** as Administrator, User, or Guest and can designate to which function user authentication applies. The

MX-M314N/M264N works with an external Active Directory server to extend user authentication to multiple MFDs and a greater number of users.*



* Requires optional MX-HD12.

User authentication

SSL and IPsec Data Encryption

To ensure an extremely high level of network security, the MX-M314N/M264N employs **SSL** (secure sockets layer) and **IPsec** (IP security) data encryption technologies. SSL encryption prevents data leakage through the network when printing via IPP, browsing secure Web pages (HTTPS), or communicating via e-mail (SMTP and POP3) or FTP (FTPS). IPsec, an obligatory part of the IPv6 Internet protocol, encrypts and authenticates traffic between specified parties.

Scan to Me Function

Scan to Me lets a logged-in authorised user send scanned data to his/her own e-mail address simply by pressing the start button. This eliminates the need to manually enter or select the address, thereby preventing documents from being sent to the wrong address.

Data Initialisation


The MX-M314N/M264N's initialisation function allows confidential information to be erased at the administrator's discretion via the MFD's system setting. Initialising an MFD when it's time to replace it prevents important resources, such as customer information and intellectual property, from leaking out and provides considerable peace of mind.

DOCUMENT MANAGEMENT

Document Management on the Hard Disk*

You can save processed job data in designated folders on the MFD's hard disk, making it easy to instantly recall saved documents or jobs for printing and sending at a later time. This contributes greatly to efficient sharing and distribution of information in your business operations.

* Requires optional MX-HD12.



Quick Filing

Up to **10,000 pages** or 1,000 files*¹ that have been copied, printed, scanned, or faxed*² can be stored by job in a Quick File Folder. You can easily reuse saved data without having to reload or rescan the original.

Advanced Filing Function

Up to **20,000 pages** or 3,000 files*¹ that have been copied, printed, scanned, or faxed*² can be stored by job on the hard disk in up to 1,000 folders with customised names and locations. Enhanced security features require users to enter a 5 to 8 digit password to access secure folders, protecting your sensitive data. Storage options include Main Folder for workgroup sharing and Custom Folder for enhanced-security archiving.

- *1: Measured using Sharp's standard chart (A4 with 6% coverage, B/W). The storage capacity will be less for colour pages.
- *2: For fax and Internet fax jobs, only transmitted data (not received faxes) can be saved in Document Filing folders.

Easy Access to Stored Files

Documents stored on the hard disk can be quickly and easily searched and accessed from the control panel's LCD via thumbnail displays and file previews or through a Web browser.






TCTI results

Sharpdesk for Total Document Management

Sharpdesk is an original Sharp application that provides integrated desktop management of documents in over **200 file formats**, including scanned paper-based documents and those created with popular applications such as Word. It allows you to organise, edit, search, and distribute your documents, all with simple drag-and-drop operation.

- Intuitive desktop display features thumbnail viewing
- Sharpdesk Imaging provides annotation tools for paper-free proofreading
- Sharpdesk Composer combines different types of files into a single document.
- Optical character recognition converts documents into editable text files
- Output zone distributes files to e-mail, printers, and other applications
- File search allows searching by file name, keyword, or thumbnail



* Image Compression Tool for converting images into compact PDF files

Sharp OSA Network Scanner Tool

This client-based scan-to-desktop option is the ideal document management system for small workgroups or offices that don't have servers. Sharp OSA Network Scanner Tool provides centralised scan/print user profiles to give everyone in the office easy one-touch scanning to their PC from any networked MFD—without complicated settings. Scanned documents can be quickly and easily printed, filed, previewed, shared, and stored to save time and improve document workflow. Sharp OSA Network Scanner Tool automatically names PDF files based on scanned-document titles and can convert scanned documents into text with the OCR engine to create searchable PDF files.



Note: Requires optional MX-AMX2



DEVICE MANAGEMENT

Web-Based System Settings

Administrators can configure system settings such as address book control, document filing management, and user control (accounting) from either over the network or from the control panel of the MX-M314N/M264N.



Web-based device management

User Control

The MX-M314N/M264N has capabilities to **restrict machine access and usage**. Easily manage overall running costs by setting access rules through a Web browser to limit or restrict functions, such as the printing out or copying of large-volume documents.

- Authority Groups Use of each function can be restricted individually.
- User control and account Up to 1,000 password-protected user accounts can be created for customised access. Accounts can be set up for individuals, groups or departments, in conjunction with the authority group setting. Maximum limits for printing or copying pages can be set for each account.

Network Utility Software

- Sharp Remote Device Manager (SRDM) makes printer networks easier to manage by allowing administrators to customise monitored items and view settings such as the IP address directly from their PC through a standard Web browser.
- If the MX-M314N/M264N is low on paper or toner, the **Printer Status Monitor** will alert you in the form of easy-to-understand graphics, allowing you to avoid problems before they arise.



Web-based SRDM




Printer Status Monitor

Remote Diagnosis

The MX-M314N/M264N can be monitored remotely through a Web browser. In the event of a problem, such as a low amount of toner, an alert is displayed on the Web page. The E-Mail Status and Alert function generates e-mail messages to notify the administrator when action or maintenance is required.

Device Cloning

Machine settings can be copied conveniently to another MX-M314N/M264N via a Web browser in XML format, making it easy to clone machines in a networked environment. With Device Cloning, the administrator no longer needs to set up individual machines one by one, thereby making his/her job a lot easier.



Remote Operation

With the MX-M314N/M264N's Remote Operation function, the same control panel screen found on the MFD can be displayed on the screen of a remote, office-networked PC, allowing the MFD to be operated via that PC.* This function can, for example, enable the administrator to guide an MFD user in need of help through necessary procedures.

* Requires VNC application.





EXPANDABILITY

Sharp OSA (Open Systems Architecture)

The MX-M314N/M264N supports the Sharp OSA* development platform. This innovative technology allows users to interact with critical business and network applications and/or external account software right from the LCD control panel, offering a new realm of control and convenience. Since Sharp OSA utilises industry-standard network protocols, such as XML and SOAP, the

MX-M314N/M264N can easily integrate with document management systems, enterprise resource planning software, workflow applications, and more.

* Requires optional MX-HD12 and MX-AMX2 and/or MX-AMX3.





EASE OF USE

7.0-Inch Touchscreen LCD

The MX-M314N/M264N features a logically designed control panel with a wide, clear, WVGA-resolution touchscreen LCD. Easy-to-follow guidance puts step-by-step instructions on the LCD to guide you through all the necessary procedures for staple/sort finishing, pamphlet making, and other functions. Pushing the Home button, even in the middle of an operation, takes you back to the Start screen. Programming the most frequently used functions and settings into My Menu gives you quick and easy access to them

Retractable Keyboard (option)

A full-size retractable QWERTY keyboard slides out from beneath the control panel to make text input fast and easy: convenient for typing things like e-mail addresses and messages, as well as passwords for user authentication.



Easy-Grip Handles


Easy-grip handles on the MX-M314N/M264N reflect a universal design that allows the paper drawers to be grasped from the top as well as the bottom for easy opening and closing.



Thumbnail Display and Previews*

Making the search for files easier and more convenient than ever, thumbnails and up-close previews of Document Filing data files, as well as conventional file names, can be displayed on the MX-M314N/M264N's LCD control panel. To help users decide which documents to print out or forward to others, the LCD can also display thumbnails and previews of incoming faxes and Internet faxes. The MX-M314N/M264N prevents errors in copying, scanning, or saving documents to its hard disk by showing

previews of those jobs on the LCD before actually executing them, making it easy to confirm finishing options, scan settings, and other such items





Job Status Screen

Whether printing or copying, the control panel displays a list of all jobs, showing you at a glance the jobs in progress and the position of your job in the queue. With a few quick touches of the LCD screen, the **Priority Printing** function lets you easily **change the** job queue order or delete jobs that are no longer needed.




ENVIRONMENT-FRIENDLY

Outstanding Energy Efficiency

- A **short warm-up time** of 20 seconds or less contributes to reduced overall energy consumption.
- Based on prior usage patterns, the MX-M314N/M264N automatically determines the optimal length of time to let elapse before going into auto power shut-off mode, helping reduce overall power consumption. Note: Requires optional MX-HD12.
- For further energy savings, energy-efficient **LED lamps** are employed in the scan unit in place of conventional xenon lamps.

A new ASIC (application-specific integrated circuit) also helps the MX-M314N/M264N deliver excellent performance and energy efficiency.



• Conforming to the **ENERGY STAR** programme, an international system identifying energy efficient products, the MX-M314N/M264N has two energy-saving modes that kick in after a period of MFD inactivity: one reduces the amount of electricity used; the other shuts off the MFD. Pressing the **power save key** after a job is finished immediately puts the MFD into auto power shut-off mode for further cutbacks on running costs.





Power save key


Environmentally Conscious Design

In support of the RoHS directive, MX-M314N/M264N are fully compliant by restricting the use of hazardous substances in their parts and materials.



OPTIONS

System Configuration



Certain options may not be available in some areas.

Specifications for Options

MX-FN23 Finisher

Paper size	Non offset	A3 to B6
	Offset	A3 to A5
	Staple	A3 to B5
Paper capacity (max.)		250 sheets (A3)
		500 sheets (A4)
Stapling capacity		50 sheets (A4 or smaller), 30 sheets (B4 or larger)
Staple position		1 location (rear)

MX-DE17 500-Sheet Paper Drawer

Paper size Paper capacity	A3 to B5 500 sheets (80 g/m²)					
MX-DE18 2 x 500-Sheet Paper Drawers						
Paper size (upper and lower tray) Paper capacity (upper and lower tray)	A3 to B5 500 sheets each (80 g/m²)					

Sharpdesk System Requirements

Supported OS	Windows® XP (SP2) Professional/Home Edition, Windows Vista®, Windows® 7
Hard disk	Minimum requirement of operating system used plus at least 500MB to store Sharpdesk and Network Scanner Tool programs
CPU	Pentium® or equivalent processor (Windows XP: 800 MHz 32-bit/64-bit processor; Windows Vista and Windows 7: 1 GHz 32-bit/64-bit processor)
Memory	Windows XP: 512MB RAM; Windows Vista and Windows 7: 1GB RAM/2GB RAM (Windows 7 64-bit)
Monitor	Windows XP: SVGA display; Windows Vista and Windows 7: Direct X9 support with 128MB video RAM

Sharp OSA Network Scanner Tool System Requirements

	Host PC	Client PC		
Supported OS	Windows® XP Professional (SP3 or later; 32-bit); Windows Vista® Business, Enterprise, or Ultimate Edition (SP2 or later; 32-bit or 64-bit) Windows® 7 Professional, Enterprise, or Ultimate Edition (32-bit or 64-bit)			
	Windows Server® 2003/2008 Standard or Enterprise (SP2 or later; 32-bit or 64-bit) Windows Server® 2003 R2 Standard or Enterprise (SP2 or later; 32-bit or 64-bit) Windows Server® 2008 R2 Standard or Enterprise (64-bit)	Windows® XP Home (SP3 or later; 32-bit) Windows Vista® Home Basic or Home Premium (SP2 or later; 32-bit or 64-bit) Windows® 7 Home Basic or Home Premium (32-bit or 64-bit)		
Hard disk and memory	2GB RAM			
	1GB available hard disk space (work space is also required)	400MB available hard disk space (work space is also required)		
Other	.NET Framework 3.5 (SP1); Microsoft Internet Explorer (XP: 6.0 or later)			
	Internet Information Services 5.1 or later; TCP/IP networking with no DHCP	Sharpdesk v3.3 or later*; TCP/IP networking (with or without DHCP)		

^{*} The following functions cannot be used without Sharpdesk installed on the client PC: Some scan/print default profiles for Sharpdesk; thumbnail view (except image files); scan/print previews (except image files); advanced search; compressed PDF

Note: When using Sharp OSA, please ask your Sharp representative about PC system requirements.

SPECIFICATIONS

General

Paper weight

Power requirements

Max. 31/26 cpm/ppm (A4 long-edge feeding) **Engine speed**

Paper size Max. A3, min. A5 Paper capacity Standard: 1,100 sheets

(two 500-sheet trays and 100-sheet multi-bypass tray) (80 g/m^2)

Maximum: 2,100 sheets Tray: 56 g/m² to 105 g/m²

Multi-bypass tray: 56 g/m² to 200 g/m² Warm-up time*1

20 sec. or less

[Standard] 2GB (copy/print shared) Memory

[Option] 160GB HDD 230-240V AC, 50/60 Hz

Power consumption (max.) 1.84 kW

Dimensions (W x D x H) 625 x 645 x 799 mm

Weight (approx.) 52.1 kg

Document filing*3, job build*5, pre-heat/auto power shut-off modes, **Features**

user authentication (1,000 accounts), toner save mode, preview $^{\star 3}$, thumbnail view $^{\star 3 \star 4}$

Copier

Original paper size Max. A3 4.4/4.9 sec First copy time*5 Continuous copy Max. 999 copies

Scan: 600 x 600 dpi, 600 x 400 dpi, 600 x 300 dpi Resolution

Print: 600 x 600 dpi

Gradation Scan: 256 levels Print: 2 levels

25% to 400% (25% to 200% using RSPF) in 1% increments Zoom range

Preset copy ratios 10 ratios (5R/5E)

Auto paper selection (mixed/random size feeding), auto magnification Features selection, paper type selection, auto tray switching, rotation copy, electronic sorting, network tandem copy*3, book copy, margin shift, dual page copy, multi-shot (4-in-1, 2-in-1), cover/transparency/tab page insertion, pamphlet copy, 2-sided copy orientation change, XY zoom, B/W reverse, mirror image, duplex copy, job reservation, job program, photo repeat, irregular original/paper size input, tab copy, centering,

stamps (date, page number, text, stamp), multi-page enlargement, proof copy*3, watermarks*3, sharpness, card shot, original count, edge/centre/side erase

Network Colour Scanner

Push scan (via control panel), pull scan (TWAIN-compliant application)*3 Scan method Resolution

Push scan: 100, 200, 300, 400, 600 dpi Pull scan: 75, 100, 150, 200, 300, 400, 600 dpi 50 to 9,600 dpi via user setting

TIFF, PDF, PDF/A, encrypted PDF, JPEG (colour only), XPS*6 File formats

Sharpdesk Scanner utility

Scan destinations **Features**

Scan to e-mail/desktop/FTP server/network folder (SMB)/USB memory*7 Internet fax*8 (supports direct SMTP), PC-Internet fax transmission*8, auto colour mode, mixed size original scanning, LDAP support, direct entry (address, subject, message), 500 group dials, 1,000 one-touch dials, 48 job programs, broadcasting, long original scanning (max. 1,000 mm)*9, auto colour selection, card shot, original count, edge/side erase, blank page skip

*1: At rated voltage, 23°C. May vary depending on operating conditions and environment.
*2: HDD capacity depends on procurement and sourcing status. *3: Optional MX-HD12 required. *4: Thumbnails of Document Filing data files and incoming faxes. *5: Long-edge feeding of A4 sheets from 1st Inumbnails of Document Filing data files and incoming taxes. "5: Long-edge feeding of A4 sneets from 1st paper tray, using document glass, mfd in fully ready condition. May vary depending on operating contins and environment. "6: To view XP5 files on PCs not running Windows Vista, you must have the XPS Viewer application installed. "7: Scan to USB memory is standard. "8: Optional MX-HD12 and MX-FWX1 required.

*9: B/W documents only, scanned at under 400-dpi resolution. Max. 800 mm for Internet Raving or when scanning at 600 x 600-dpi resolution. *10: Measured using Sharp's standard chart (A4 with 6% coverage, B/W). The storage capacity will be less for colour pages. *11: Some features require option(s). *12: Optional MX-PK11 required for Mac OS and EtherTalk. *13: Requires optional MX-PK11. *14: Some features are not available according to the printer driver used. *15: Based on Sharp's standard chart with approx. 700 characters (A4 long-edge feeding) at standard resolution in Super G3 mode, 33,600 bps, JBIG compression.

- Design and specifications are subject to change without prior notice.
 Colour variations to products may occur due to printing.
 Some features require Optional items. Please consult with an authorised Sharp Reseller for details.
 All information and technical details are correct as at machine release date. Windows, Windows NT, Windows Server, and Windows Vista are registered trademarks of Microsoft Corporation in the United States and/or other countries. All other brand names and product names may be trademarks or registered trademarks of their respective owners. The ENERGY STAR logo is a certification mark and may only be used to certify products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. The ENERGY STAR guidelines apply to products only in the US, the EU, Japan, Canada, Australia, New Zealand and Taiwan.
 Windows, Windows Server, and Windows Vista are registered trademarks of Microsoft Corporation in the United States and/or other countries. All other brand names and product names may be trademarks or registered trademarks of their respective owners.
- respective owners.

 The ENERGY STAR logo is a certification mark and may only be used to certify products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. The ENERGY STAR guidelines apply to products only in the US, the EU, Japan, Canada, Australia, New Zealand, and Taiwan.

Document Filing (optional MX-HD12 required)

Document filing capacity Main and custom folders: 20,000 pages*10 or 3,000 files

Quick file folder: 10,000 pages*10 or 1,000 files

Stored jobs*11 Copy, print, scan, fax transmission Storage folders Ouick file folder, main folder, custom folder (max. 1.000 folders)

Confidential storage Password protection

Network Printer

Features*11*

Resolution 1,200 x 600 dpi, 600 x 600 dpi USB 2.0, 10Base-T/100Base-TX/1000Base-T

Supported OS*12 Windows Server® 2003/2008, Windows® XP, Windows Vista®, Windows® 7, Mac OS X 10.4.11, 10.5 to 10.5.8, 10.6 to 10.6.8,

10.7 to 10.7.2

TCP/IP (IPv4, IPv6), IPX/SPX (NetWare), NetBEUI, EtherTalk (AppleTalk) Network protocols*12 LPR, Raw TCP (port 9100), POP3 (e-mail printing), HTTP, Printing protocols

Novell Printserver application with NDS and Bindery, FTP for downloading print files, EtherTalk printing, IPP

PDL (emulation) Standard: PCL 6 emulation Option*13: PS3 emulation

Available fonts

80 fonts for PCL, 136 fonts for PS3 emulation RIP Once/Print Many, job retention (proof print, confidential print), duplex print, pamphlet style, Sharp Remote Device Manager, printer status monitor, IP/MAC address filtering, port/protocol management, binding edge, N-up (2/4/6/8/9/16), paper tray selection, cover/ transparency insertion, fit to page, watermarks, auto configuration, poster print, margin shift, secure network communications (SSL and IPsec [LPD]), network tandem print, direct PDF/TIFF/JPEG printing, carbon copy print, font/form download, tab print, barcode font

compatibility

Facsimile (optional MX-FX11 required)

Compression method Communication protocol Transmission time Modem speed Transmission resolution Recording width Memory Grey scale levels

Features


MH/MR/MMR/JBIG Super G3/G3 Less than 3 seconds*15

33,600 bps to 2,400 bps with automatic fallback From Standard (203.2 x 97.8 dpi) to Ultra Fine (406.4 x 391 dpi)

A3 to A5 512MB, max. 1GB*3 Equivalent to 256 levels

Duplex transmission/reception, quick on-line transmission, error correction mode, LDAP support, 500 group dials, 1,000 one-touch dials, 48 job programs, broadcasting number registration, F-Code compatibility (confidential, relay broadcast), polling, memory transmission/reception, auto reduction (transmission/reception), rotation transmission/reception, print actual size, 2-in-1 transmission, long original transmission (max. 1,000 mm), PC-Fax transmission, timer transmission, inbound routing*3 to fax/Internet fax/e-mail/ FTP server/network folder (SMB)/PC desktop, activity report, anti-junk fax, dual page scan, card shot, edge/side erase, mixed size

original scanning, original count



Distributed by:



SHARP CORPORATION OF AUSTRALIA PTY LTD ABN 40 003 039 405

1 Huntingwood Drive, Huntingwood NSW 2148 P.O. Box 6827, Blacktown, NSW 2148 Tel: (02) 9830 4600 Fax: (02) 9672 1208 www.sharp.net.au

SHARP CORPORATION OF NEW ZEALAND LTD

59 Hugo Johnston Drive P.O. Box 12244, Penrose, Auckland Tel: (09) 573 0111 Fax: (09) 573 0112 www.sharp.net.nz