







Sophisticated hybrid design for versatile setup in countertop or floor-standing console configuration, expandable to 4-tray console with a maximum paper capacity of 2,100 sheets.

MULTI-TASKING PRODUCTIVITY of color MFPs to achieve the best of both worlds. The MX-C311 and MX-C401 are exciting examples of the SHARP® FRONTIER SERIES, bringing brilliant color output closer to your workgroup with HYBRID DESIGN that has a small footprint to fit into environments others won't, yet isn't small on functionality. The LARGE 8.5" WIDE COLOR TOUCH-SCREEN simplifies operation by providing an intuitive user interface to keep ahead of today's fast-paced office document distribution needs. Incorporating next-generation COMMON CONTROLLER ARCHITECTURE, the Frontier Series provides uniform functionality and operability as found in Sharp's AWARD-WINNING MFP PRODUCT LINE. Engineered to help reduce operating costs and downtime, the MX-C311 and MX-C401 are easier than ever to set up, monitor, and maintain. These models offer modular expandability, remote-access capabilities, and a VALUE-ADDED APPROACH to network and software integration. The latest in a long line of innovative products from today's fastest-growing name in office electronics, they also incorporate Sharp's AWARD-WINNING Sharp OSA® PLATFORM and the industry-leading Sharp security suite to help protect data and control access. In action, their ease and versatility will change your mind about MFPs. More power, less complexity...that's WORK WITHOUT LIMITS.

Sharp combines the SIMPLICITY AND CONVENIENCE of network printers with the

## PRODUCTIVITY IN ACTION TO SPEED OUTPUT AND STREAMLINE DOCUMENT WORKFLOW

The Sharp MX-C311 and MX-C401
bring fast output, superior color
quality and compact footprint closer
to the workgroup. Advanced and easy
to operate features will help maximize

- Vivid color and crisp black-and-white documents can be quickly and accurately produced at speeds up to 31 (MX-C311) or 40 (MX-C401) pages per minute.
- Powerful 800 MHz (MX-C311) and 1 GHz (MX-C401) controller for true multi-tasking performance and increased multi-functional productivity.
- Large 8.5" high resolution, wide-screen color touch display with intuitive graphical user interface that makes advanced copying, printing, scanning and faxing functions easy to use.
- Sharp's powerful ImageSEND™ technology securely scans documents to up to seven destinations, including: USB devices, network folders, e-mail, fax machines and desktop PCs, at speeds up to 35 images per minute. You get one-touch distribution features that centralize document workflow helping save time and money.
- Third-generation Sharp OSA development platform enables users to access network applications directly from the device's touch-panel display, helping to reduce redundancy and streamline workflow.



efficiency, simplify document workflow and reduce operating expense.

Incorporating Sharp's next-generation common controller architecture, these powerful multi-tasking MFPs meet the fast-paced needs of today's modern office.

Send to USB

Send to E-mail

Send to Send to Desktop

Send to Network Folder

- Optional Inner Finisher can be added without taking up much additional space. The spaceefficient finisher not only provides exceptional productivity but also automates time-consuming tasks such as stapling, sorting and offset stackin.
- Direct USB Scanning and Printing provides a whole new level of convenience. It comes in handy for scanning documents directly to USB memory device and is an easy way to print PDF documents.
- Sharp's easy to use Document Filing System provides high-capacity 38 GB of hard drive space for fast document storage and retrieval, with thumbnail view and image preview modes that allow users to easily locate, identify and retrieve files.
- The cutting-edge Sharp Remote Front Panel feature allows administrators and help desk professionals to access and control the device from a remote PC workstation. This panel can also be used to help facilitate key operator training.
- The optional Super G3 Fax Kit with intelligent Inbound Fax Routing delivers lightning-fast faxing for busy workgroups.

 The optional Business Card Feeder\* can automatically feed and scan business cards and is capable of working with commercially available business card scanning software to automate contact database entry.



Optional business card feeder.



Front Panel USB 2.0 port for easy access.

<sup>\*</sup> Business Card Feeder not available at the time of launch.

## INNOVATIVE DESIGN TO SAVE TIME AND MONEY

For years, digital multifunction printer/copiers have added more features and functions.

But functionality can lead to over-complexity. That's why Sharp created the HYBRID DESIGN of the MX-C311 and MX-C401, integrating strategies to help SIMPLIFY OPERATION,

REDUCE COSTS and PROTECT THE ENVIRONMENT. The new Sharp MX-C311 and MX-C401 color MFP models are designed to make it EASIER AND FASTER to set up, operate, control,

# innovative

monitor, manage and maintain. Sophisticated but intuitive, these modes enable even first-time users to operate PRINTING, COPYING, SCANNING AND FAXING functions with greater ease and efficiency. Both models are engineered for LOW MAINTENANCE and QUICK SERVICEABILITY. Like traditional MFPs, they incorporate long-life tri-component supplies consisting of separate toner, developer and drum cartridges, to help LOWER COST PER PAGE and REDUCE TOTAL COST OF OWNERSHIP. Finally, the MX-C311 and MX-C401 are ENVIRONMENTALLY-FRIENDLY in design, engineering and manufacturing. The new models have been designed with a STRONG COMMITMENT to helping to protect the environment. They assist businesses to reduce energy consumption, minimize waste and recycle toner more easily through Sharp's TONER RECYCLING PROGRAM.

JOB STATUS

SYSTEM SETTINGS READ

\* LOGOUT

## USER-FRIENDLY, ECO-FRIENDLY OPERATION TO HELP SPEED WORK, PROLONG LIFE AND REDUCE COST



The Sharp MX-C311 and MX-C401
are designed to minimize service
requirements and maximize uptime.
These models employ long-life,
quick-replace cartridges to help extend
supplies replenishment intervals
and dramatically reduce downtime.
Maintenance is trouble-free, with clean
and simple replacement of supplies
and machine maintenance procedures
that can be performed quickly and
easily by service technicians or
helpdesk professionals.

- By utilizing a long-life tri-component supplies system consisting of individual toner, developer and drum cartridges, the working life of developer and drums is significantly prolonged—and consumables yield can be up to six times higher than that of typical mono-unit consumable systems.
- Sharp encourages customers to make use of the Toner Recycling Program that provides a pre-paid shipping label for returning used toner cartridges to our recycling facility. Learn more at: www.sharpusa.com/recycle.
- Supplies can be replenished with no mess and no tools required. Maintenance parts such as: primary transfer belt, transfer roller, fuser, paper feed rollers and document feed rollers are also designed for quick, tool-free replacement.
- Power consumption on the MX-C311/MX-C401 is among the lowest in its class. These models comply with the Energy Star<sup>™</sup> Program and the RoHS program to minimize energy consumption and the use of chemicals and materials that can harm the environment.
- Built on a sophisticated and rugged unibody frame, the MX-C311/MX-C401 is constructed to absorb vibration, reduce operating noise, and consistently produce superior image quality.
- Sharp's second-generation micro-fine toner technology and new developer combine to reduce graininess, produce clear reproduction of fine lines and halftone colors, and offer lower consumption rate than conventional toner. The result is breathtaking image quality, less packaging materials and longer replacement intervals.

- Environmental leadership is a long tradition at Sharp. In 2007, we received the Green Contractor Award and the Evergreen Award from the U.S. government in recognition of our overall commitment to environmentally-friendly products, services, manufacturing procedures and for our recycling and waste reduction practices. For more information, please visit www.sharpusa.com/environment.
- In replenishing supplies, downtime is virtually eliminated to lower operating costs for end-users and waste is reduced because the drums and developers are used to their maximum life.



Quick Replace Cartridges for Easy Maintenance
This design makes service and general maintenance easier without the need to disassemble the entire machine.



Highly-Rigid Main Frame Helps better protect and isolate critical machine components.







# navigation





#### Image Send Screen

Intuitive graphic interface lets you quickly & easily select, change & view scanning settings right from the panel.



#### Thumbnail Previewing

Quickly & easily locate, retrieve & print filed documents and stored faxes in full color.



#### Image Check

Ability to view & check the image quality of stored file. Easily zoom, rotate and scroll.

## SIMPLE OPERATION WITH TOTAL CONTROL OVER INPUT, OUTPUT AND DOCUMENT ACCESS

At last, an on-board LCD touch-screen so easy to use, to help every operator be more productive. The Sharp MX-C311 and MX-C401 feature bright, high-contrast 8.5" color touch-navigation panels with superior color reproduction, wide viewing angle, and thumbnail document preview. These MFPs make it easy to process complex color print jobs, designate duplex and offset stacking, and deliver more documents in less time.

**JOB STATUS** 

SYSTEM SETTINGS

PRINT READ

AGE SEND

LINE

**HOME** 

1 2 3 C 4 5 6

7 8 9

 $\star$  0 #/P CA

LOGOUT



#### **Qwerty Keyboard**

On-screen, touch panel keyboard makes it easy to enter e-mail addresses and more.



#### Job Status

Display the status of all print, copy, scan & fax jobs waiting in queue. Can't wait for a copy? Instantly prioritize your job.



#### Error Recovery

Easily rectify problems following on-screen, illustrated step-by-step prompts.





#### Sharp OSA® technology at a glance

- Automate tasks and save time with seamless integration between the MX-C311/MX-C401 and network applications
- Centralized applications minimize set-up and installation on multiple Sharp products
- Virtually eliminates repetitive tasks and streamlines workflow, increasing efficiency
- Maximize your return on investment with tighter integration among IT assets
- Industry standard programming leads to faster deployment of new solutions



Today's multifunction products must be versatile enough to handle fast-changing system requirements and security demands. For Sharp, that's a given—but we've gone much further. Designed for today's mobile and flexible workplace, the MX-C311/MX-C401 support the AWARD-WINNING SHARP OSA development platform. This 3RD GENERATION TECHNOLOGY delivers unparalleled efficiency, control and convenience. With SEAMLESS INTEGRATION, Sharp OSA-developed applications provide a window into your business applications, so you can access what you need, when you need it, right from the touch panel. With the ability to PERSONALIZE APPLICATIONS and processes specific to your business, Sharp OSA technology can help eliminate redundancy and streamline workflow. Utilizing INDUSTRY STANDARD NETWORK PROTOCOLS, such as XML and SOAP, Sharp OSA technology allows these MFPs to communicate with many different applications. As your integration and workflow needs change, count on Sharp's scalable technology to help KEEP YOU AHEAD.

## PROVEN PROTECTION FOR CONFIDENTIAL DATA, DEVICE ACCESS AND NETWORK SAFEGUARDS

The exchange of digital documents in the
21st century creates new challenges for
network security. Sharp has developed an
award-winning, multi-layered security
system to help protect valuable

#### Authority Group and Access Control

Advanced account management enables administrators to set authority groups for access to features of the MX-C311/MX-C401 Series. Administrators can control which department, for instance, has full access to color copying, printing, scanning and/or fax. Walk up users enter a code, Local Name and Password, or LDAP User Authentication to access their features assigned to their group. Users can also login utilizing a human interface device (HID) such as a Smartcard or Common Access Card (CAC).\*

#### Documents Remain Confidential

To help protect your printed documents from unauthorized viewing, the MX-C311/MX-C401 Series offers encrypted PDF files for printing and scanning as well as **Confidential Printing** that requires users to enter a PIN code in order to print a queued document. Additionally, **Secure Fax Release** ensures received fax documents are held in memory until an authorized user enters a PIN code. So compliance with healthcare regulations such as HIPAA is easier.



information and maintain employee confidentiality. No company has more experience in maintaining digital security—so corporate end-users and IT professionals can count on the proven safeguards of the MX-C311 and MX-C401.







"Most Secure MFP Range" Award–5th



"Best Development Platform-Sharp OSA® Technology" Award 200

#### Data Erase and Encryption\*\*

To help protect your data, the MX-C311/MX-C401 Series offers an optional data security kit that encrypts document data using **AES** (Advanced encryption standard) **encryption**. Additionally, the data security kit erases the temporary memory on the hard drive by overwriting the encrypted data up to seven times, offering an unprecedented level of assurance.

#### Control Device Access Over the Network

To help restrict access to the device over the network, the MX-C311/MX-C401 Series offers IPsec, SMB and extended support for **SSL Encryption** (Secure Sockets Layer), **IP/MAC address filtering**, IEEE 802.1x authentication, protocol enable/disable and port management for maximum security.

#### Network Scanning Access

To help protect your network from unauthorized e-mail communications, the MX-C311/MX-C401 Series supports **User Authentication**, requiring users to login before performing any network scanning operations.

#### Tracking and Auditing Information

Legislation and industry policies require companies to be more aware of information flow from their offices. Sharp offers both built-in and additional hardware/software which allows users to control, access and track usage of each device on the network.



These scalable security offerings aim to protect your intellectual property, preserve confidential information and help your business to meet regulatory requirements, such as the Health Insurance Portability and Accountability Act (HIPAA), and the Gramm Leach Bliley Act (GLB). For additional information visit: www.sharpusa.com/security

<sup>\*</sup> Some features require optional equipment.

<sup>\*\*</sup> Data Security Kit not available at time of launch.

## DEVICE MANAGEMENT MAXIMIZES PRODUCTIVITY AND CONTROL



The Sharp 24/7 Training Advantage
To make managing your new MX-C311/
MX-C401 document systems simple
and easy, ask your local Authorized Sharp
Dealer about My Sharp, a dedicated
customer-care website that offers solutions,
resources and information specific to
your new Sharp product.

Sharp's MX-C311/C401 combines integrated, user-friendly software with robust device management technology to help IT professionals manage usage, control costs and minimize downtime. To maximize opportunities while reducing document and support costs, office environments must MANAGE DOCUMENT WORKFLOW with greater intelligence. The Sharp ADMINISTRATION UTILITY SUITE is designed to do just that. It allows administrators to MANAGE DEVICES more efficiently. They can remotely manage the set-up, configuration, device settings and more! The convenience of an Embedded Web Page gives users advanced WEB-BASED MANAGEMENT TOOL of network scanning, profiles and web-links—while

## manage

administrators can access device settings, color controls, account information and security settings to help SAVE TIME and IMPROVE PRODUCTIVITY. Sharp's device management system lets you TAKE CHARGE of color usage and costs. A new REMOTE FRONT PANEL feature allows help desk professionals and support personnel to view and control the device's LCD Panel remotely from any authorized networked PC. Our Printer Status Monitor lets network users VIEW PRINTER CONDITIONS, check paper and toner levels right from the workstation. Powerful and Intuitive SHARPDESK® SOFTWARE enables individuals GREATER CONTROL OF SCANNED DOCUMENTS.





Printer Status Monitor



Printer Administration Utility



Embedded Web Page



Remote Front Panel

### MX-C311/MX-C401 SPECIFICATIONS

Main Specific	
MX-C311/MX-C401	I Includes multi-tasking controller, 80 GB HDD with
	document filing system, PCL® 5c/PCL 6/Postscript® 3 network printing, network scanning, 50-sheet RSPF,
	auto-duplex, 500-sheet paper drawers and 100-sheet
	bypass. Black and color developer is included in the box.
Type	Color multi-function digital document system
Functions	Copy, print, network print, network scan, document filing and fax <sup>1</sup>
Copy System	Dry electrostatic transfer/Dual component developer/
	Magnetic brush development/OPC drums/Heat Roller
Originala	fusing/Xenon Lamp Exposure Sheets and Bound Documents
Originals  Max Original Size	
Copy Size	Min 5-1/2" x 8-1/2"/Max 8-1/2" x 14"
Copy Speed	MX-C311: 31 ppm B&W/Color (Letter)
Multiple Copy	MX-C401: 40 ppm B&W/Color (Letter)
Multiple Copy First Copy Time	Max: 999 copies  Platen glass: 8.0 sec or less (B&W); 8.9 sec or less (color)
	RSPF: 9.9 sec or less (B&W); 11.5 sec or less (color) (Based on A4
	original using tray 1, Auto Color selection off & Auto Color Polygon)
Warm-Up Time Magnification	90 seconds or less 50% to 200% in 1% increments (50 to 200% for RSPF)
Original Feed	50-sheet RSPF with original size detection
Scan Speed	Copy mode (Simplex): Up to 35 ipm (B&W or color)
	@ 600 X 300 dpi.
	Network Scan (Simplex): Up to 35 ipm (B&W or color)
Original Sizes	@ 200 x 200 dpi. 5-1/2 x 8-1/2 / 8-1/2 x 14 (15-lb bond to 110-lb index)
Paper Feed	Standard: 500 sheet paper drawer (Letter/Legal) and 100-
System	sheet bypass tray (Letter/Legal). Optional: Up to 3 additional
	500-sheet paper drawers (Letter/Legal) <sup>2</sup>
Paper Types	Paper drawers: 16-28 lb. bond. Other paper types include: plain, pre-printed, recycled, pre-punched, letterhead, and
	color paper. Bypass Tray: 16-28 lb. bond (plain paper),
	15-16 lb. (thin paper), 28 lb. bond-110 lb. index (heavy
	paper), 20-24 lb. (Monarch/Com-10 envelope). Other types
	include label paper, gloss paper, pre-printed, recycled, pre-punched, letterhead, color film and OHP Film.
Duplexing	Standard automatic duplex copying and printing
CPU	MX-C311: Power QUICCIII-MPC8533E/800MHz
Interface	MX-C401: Power QUICCIII-MPC8533E/1,000MHz RJ-45 Ethernet (10Base-T/100Base-TX/1000Base-T),
interrace	USB 2.0 (Host Port), USB 2.0 (Device Port)
Memory	Standard 1 GB (copier); 512 MB (printer/network
Hard Disk Drive	scanning) memory
naiu disk di ive	80 GB; 38 GB Main Folder/12 GB Custom/Quick Folder document filing system and electronic sorting
Copy Resolution	Scan: B&W/Color: 600 dpi; Copy output: B&W/Color 600 dpi
Color Modes	Auto Color Control, Full Color Mode, Monchrome (B&W), 2
Funnasius Control	Color Mode, Single Color Mode.
Exposure Control	Modes: Automatic (Color: Magical View, B&W: Character AE) Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo,
	Map, Pale-Color document. Settings: Auto exposure control
	or 9 step manual exposure.
Halftone Copy Foatures	256 gradiations/2 levels (monchrome)
Copy Features	Scan-Once-Print-Many, electronic sorting, Integrated offset-stacking, Auto Color Sensing (ACS), Auto Paper
	Sensing (APS), Auto Magnification Sensing (AMS), Auto tray
	switching (ATS), rotation copy, reverse copy, margin shift,
	edge erase, OHP insertion, card shot, reverse image, black-white reversal, centering, proof copy, 2-in-1,
	photo repeat, document filing, job programs, date/
	character/page stamp (color)
Account Control	Up to 1000 users. Supports user-number authentication (on
Account Control	Up to 1000 users. Supports user-number authentication (on device), login name/management, date/character/page stamp
Account Control  Output Tray	Up to 1000 users. Supports user-number authentication (on
Output Tray Capacity	Up to 1000 users. Supports user-number authentication (on device), login name/management, date/character/page stamp (color), Copy, Print, Scan, Fax and Document Management Main output tray (top) 250 sheets (face down)
Output Tray Capacity Firmware	Up to 1000 users. Supports user-number authentication (on device), login name/management, date/character/page stamp (color), Copy, Print, Scan, Fax and Document Management Main output tray (top) 250 sheets (face down)  Flash ROM with local (USB); network update capability and
Output Tray Capacity Firmware Management	Up to 1000 users. Supports user-number authentication (on device), login name/management, date/character/page stamp (color), Copy, Print, Scan, Fax and Document Management Main output tray (top) 250 sheets (face down)  Flash ROM with local (USB); network update capability and firmware update 1 to N with PAU (Printer Adminstration Utility)
Output Tray Capacity Firmware	Up to 1000 users. Supports user-number authentication (on device), login name/management, date/character/page stamp (color), Copy, Print, Scan, Fax and Document Management Main output tray (top) 250 sheets (face down)  Flash ROM with local (USB); network update capability and
Output Tray Capacity Firmware Management Configuration Method	Up to 1000 users. Supports user-number authentication (on device), login name/management, date/character/page stamp (color), Copy, Print, Scan, Fax and Document Management Main output tray (top) 250 sheets (face down)  Flash ROM with local (USB); network update capability and firmware update 1 to N with PAU (Printer Administration Utility)  Web-based management system with user/administrator level login security, cloning (1 to N) with PAU and remote front panel access
Output Tray Capacity Firmware Management Configuration Method Service/	Up to 1000 users. Supports user-number authentication (on device), login name/management, date/character/page stamp (color), Copy, Print, Scan, Fax and Document Management Main output tray (top) 250 sheets (face down)  Flash ROM with local (USB); network update capability and firmware update 1 to N with PAU (Printer Adminstration Utility)  Web-based management system with user/adminstrator level login security, cloning (1 to N) with PAU and remote
Output Tray Capacity Firmware Management Configuration Method Service/ Maintenance	Up to 1000 users. Supports user-number authentication (on device), login name/management, date/character/page stamp (color), Copy, Print, Scan, Fax and Document Management Main output tray (top) 250 sheets (face down)  Flash ROM with local (USB); network update capability and firmware update 1 to N with PAU (Printer Adminstration Utility) Web-based management system with user/adminstrator level login security, cloning (1 to N) with PAU and remote front panel access Remote Front Panel Access to service logs and click counts
Output Tray Capacity Firmware Management Configuration Method Service/	Up to 1000 users. Supports user-number authentication (on device), login name/management, date/character/page stamp (color), Copy, Print, Scan, Fax and Document Management Main output tray (top) 250 sheets (face down)  Flash ROM with local (USB); network update capability and firmware update 1 to N with PAU (Printer Administration Utility)  Web-based management system with user/administrator level login security, cloning (1 to N) with PAU and remote front panel access

Weight	Approx 107 lbs (base model)
Dimensions	22-3/64" x 17-1/4" x 28-7/64"
	ing System (Standard)
PDL	PCL5c, PCL6, PostScript 3 compatible, optional XPS
Resolution	1200 dpi, 600 dpi
Print Speed	31/40 pages per minute (Letter)
Print Drivers	Windows® 98, Windows ME, Windows NT® 4 (with SP5 or
	later), Windows 2000, Windows Server® 2003, Windows XP,
	Windows XP x64, Windows Server x64, Windows Vista®,
	Windowa Vista x64, MAC $\ensuremath{OS}^{\ensuremath{o}}, 9.2.2, \ensuremath{OSX}$ (including 10.2.8,
	10.3.9, 10.4.11, 10.5-10.5.1), all MAC PPD. Windows
	Server 2008 x64.
Features	Continous printing, duplex printing, pamphlet printing, N-up
	printing, image rotation, different cover page/last page,
	transparency inserts, carbon copy print mode, fit-to-page,
	poster print, margin shift, mirror image, watermarks, overlay,
	confidential print, confidential batch print, print hold, bypass printing, job priority printing and direct printing. (Note: Some
	features not available on certain print drivers)
Direct Printing	File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF,
Direct Filliting	Postscript and XPS¹. Methods: FTP, WebPage, E-mail and
	USB Memory
Resident Fonts	80 Outline Fonts
Interface	RJ-45 Ethernet 10/100/1000 Base-T
Operating	Windows 98, ME, NT4.0, 2000, XP, 2003/2008 Server,
Systems	Vista, Novell® Netware® 3x,4x, 5x, MAC OS-9.0, MAC OS-X,
	Sun® OS 4.1x, Solaris® 2 x, Unix®, Linux®, Citrix® (Metaframe,
	Presentation Server 4, 4.5) and Windows Terminal Services
Network	TCP/IP (IPv4, IPv6, IPSEC) SSL (HTTP, IPP, FTP), SNMPv3,
Protocols	802.1x for Windows and Unix. LPD and LPR for UNIX.
	IPX/SPX $^{\!\scriptscriptstyle (\!0\!)}$ for Novell environments. EtherTalk $^{\!\scriptscriptstyle (\!0\!)}$ and NetBEUI,
	AppleTalk for Macintosh® enviroments.
Printing	LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP and Novell
Protocols	Pserver/Rprinter
Network	IP/Mac address filtering, protocol filtering, port management,
Security	user authentication and document administration.
Security	IEEE 2600-2008, DoD (NSTISSP) #11, DoD Directive 8500.2,
Standards	DoD (DISA)
Network Scan	ning Systems (Standard)
Max Original Size	8-1/2" x 14"
Optical Resolution	
Output Modes	600 dpi, 400 dpi, 300 dpi, 200 dpi, 100 dpi
Scan Modes	Color, monchrome, grayscale
F	Management TIFE DDE Franchist DDE VD01

ning Systems (Standard)
8-1/2" x 14"
600 dpi
600 dpi, 400 dpi, 300 dpi, 200 dpi, 100 dpi
Color, monchrome, grayscale
Monochrome: TIFF, PDF, Encrypted PDF, XPS <sup>1</sup>
Color: Grayscale, Color TIFF, JPEG, PDF, Encrypted PDF, XPS¹ Internet Fax: TIFF-FX, FIFF-F, TIFF-S¹
Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR)
Color/Grayscale: JPEG (High, middle, low)
Internet Fax mode: MH/MMR (option)
E-mail, Desktop, FTP, Folder (SMB), USB, Internet fax
(option), Super G3 fax (option)
Up to 999 (combined scan destinations)
Up to 500
48 (combined)
Up to 94
TCP/IP and SSL (Includes HTTP, SMTP, LDAP, FTP, POP3),
SMB, ESMTP and 802.1x
E-mail server user authetication for LDAP and Active Directory
Sharpdesk® desktop document management software (1 user license)

#### **B&W Super G3 Fax Kit (Option)**

Dan Capel a	o i ux idit (Option)
Transmission Mode Super G3, G3	
Modem Speed	33.6 KBPS <sup>3</sup>
Compression	JBIG, MMR, MR, MH
Methods	
Scanning Method	Sheet fed simplex or duplex or book
Max Transmit	400 dpi
Resolution	
Transmit Speed	Approximately 2 seconds with Super G3/JBIG <sup>4</sup>
Auto Dialing	Up to 999 (combined scan destinations)
Group Dial/	Up to 500
Destinations	

Inbound Fax Routing	Forwards received fax data to E-mail, FTP, Desktop, SMB
Long Length Originals	Up to 19.5" (for transmission)
Programs	48 (combined)
Memory	8 MB (Exclusive)
Halftone	256 levels
Features	Quick on-line transmission, direct transmission, F-Code transmission/reception, rotate transmission, anti-junk fax reception, automatically staple received faxes, secure fax release, out of paper memory reception, auto redial, duplex reception transaction reports, activity reports and PC Fax.

Inner	Finisher	(Ontion)

Туре	Built in Finisher
Output Capacity	Up to 280 sheets (Letter/Legal),
	100 postcard, 20 envelope
Output Delivery	Face down
Stapling Media	Plain/Thin/Heavy/Recycled/Letterhead/Pre-punched/
	Colored/Preprinted paper
Stapling Positions	Single corner position
Power Source	Supplied from the main unit
Stapling	30 sheets Letter/legal
Stapled Sets	10 bundles or 300 sheets (letter/legal)
Weight	Approx 19.8 lbs
Dimensions	18.67" (w) x 13.07" (d) x 6.18" (H)
(When Tray	20.5" (w) x 13.07" (d) x 6.18" (H)
is expanded)	

#### **Optional Equipment**

opuonai =qai	
MX-FN12	Inner Finisher
MX-CFABB	Base Plate with locking casters
MX-CFABD	Deluxe Cabinet with door and locking casters
MX-CSX1	500 sheet Paper Feed Unit for Tray 2
MX-CSX2	500 sheet Paper Feed Unit for Trays 3 & 4
MX-PUX1	XPS Expansion Kit (Requires MX-SHP1GBXPS)
MX-SHP1GBXPS	Expansion Memory 1 GB (Required for MX-PUX1)
AR-PF1	Bar Code Font Kit
MX-FR13U	Commercial Data Security Kit.
	Not available at time of launch.
MX-FWX1	Internet Fax Expansion Kit
MX-AMX2	Application Communication Module
MX-AMX3	External Accounting Module
MX-AMX1	Application Integration Module
MX-FXX3	Fax Expansion Kit
MX-USX1	Sharpdesk 1 License Kit
MX-USX5	Sharpdesk 5 License Kit
MX-USX10	Sharpdesk 10 License Kit
MX-USX50	Sharpdesk 50 License Kit
MX-USA0	Sharpdesk 100 License Kit
MX-BTX1	Business Card Feeder.
	Not available at time of launch.

#### Supplies

Supplies	
MX-C40NTB	Black Toner Cartridge
MX-C40NTC	Cyan Toner Cartridge
MX-C40NTM	Magenta Toner Cartridge
MX-C40NTY	Yellow Toner Cartridge
MX-C40NVB	Black Developer
MX-C40NVC	Cyan Developer
MX-C40NVM	Magenta Developer
MX-C40NVY	Yellow Developer
MX-C40NRB	Black Drum Cartridge
MX-C40NRS	Color Drum Cartridge
MX-C31U1	Primary Transfer Belt Unit
MX-C31U2	Secondary Transfer Roller Unit
MX-C31FU1	Fusing Unit (120V)
MX-C31FL	Ozone Filter Kit
MX-C31HB	Toner Collection Container
MX-C31RT	Feeding Roller Kit
MX-C31MR	MF Feeding Roller Kit
MX-C31DF	DF Roller Kit
MX-SCX1	Staple Cartridge
	(3 cartridges per carton)













Some features require optional equipment
 Paper capacity is based on letter size paper
 Actual transmission time will vary based on line conditions
 Based on Sharp Standard Test Chart with approximately 700 characters, letter size in standard resolution

Speci IMACE SEND Ready to scan for copy. (E) COPY Color Mode Enll Color Manufacture 1 Original Exposure Auto COPY Ratio

ARP

SHARP ELECTRONICS CORPORATION Sharp Plaza, Mahwah, NJ 07495-1163 1-800-BE-SHARP • www.sharpusa.com

Design and specifications subject to change with My Sharp, and all related trademarks are tradem Corporation and/or its affiliated companies. Windows Vista are trademarks or registered trademarks of Mi the property of their respective owners. Sharp OSA, Sharpdesk, trademarks of Sharp dows Server and Windows All other trademarks are