

bizhub 754e / 654e / 554e / 454e / 364e / 284e / 224e


The ultimate smart monochrome multifunction printers for the next generation office





The unique needs of the next generation office were the inspiration behind our latest range of smart monochrome multifunction printers. The bizhub 754e and 554e series boast first class usability, outstanding performance for improved efficiency, cutting edge mobility, security and solutions integration. As you'll see, Konica Minolta's bizhub 754e and 554e series will improve your bottom line, and also help reduce your environmental impact. And that is definitely good for your business.





Award winning innovation with first class usability

Konica Minolta understands that new technologies have forever changed the way an office works. So with this in mind, we have developed a new range of innovative monochrome multifunction printers (MFPs). Like their colour counterparts, the bizhub 754e and 554e series are designed to make your life easier, and provide cost and environmental savings without compromising on quality or speed. Perfect for document intensive departments with high print volumes or a small office with short print runs, the new bizhub 754e and 554e series are sure to include a printing solution that's right for your business.





Simple to use with 'flick and drag' functionality

Like the bizhub colour range of multifunction printers, the bizhub 754e and 554e series boast an intuitive 9" touch panel, featuring 'flick and drag' and 'pinch and zoom' operation similar to that found on most tablet devices, so people in the office will find them easy to use. The familiar fingertip controls, horizontal scrolling and pop-up menus enable simpler navigation; it's all there on a single intuitive screen, and most people will be able to start using it with minimal instruction. Frequently used settings can also be preset and placed on the home screen to save time.

Enjoy seamless integration, increased productivity and reduced costs

Equipped with Konica Minolta's efficient and versatile software applications, the bizhub 754e and 554e series have been designed to seamlessly integrate into almost any electronic workflow. Efficient document capture and distribution help save time and reduce overall running costs.

Fast, secure, document dissemination

Konica Minolta believes that simplicity is the key to increased productivity and reduced running costs. The new bizhub range is designed to do just that. In combining fast and efficient colour scanning up to 160 opm with high black and white output speeds up to 75 ppm (bizhub 754e), they allow your office to disseminate documents quickly and securely. The bizhub 754e and 554e series also allow you to create Word, Excel, PDF or PowerPoint presentations directly from hardcopy documents via the touch panel within just minutes, thus improving overall productivity and efficiency. Plus a Tab printing function makes it easy to insert printed tabs within the body of a document, while a carbon-like print function enables the same data to be printed from multiple trays.



High performance to improve productivity

The new bizhub 754e and 554e series deliver high performance to help improve productivity demands of the next generation office. Depending on your requirements this series offers a range of monochrome print speeds:

bizhub 754e

75 ppm

bizhub 654e

65 ppm

bizhub 554e

55 ppm

bizhub 454e

45 ppm

bizhub 364e

36 ppm

bizhub 284e

28 ppm

bizhub 224e


22 ppm

The new bizhub 754e and 554e series boast fast single pass high speed duplex scanning for hard copy intensive workflows. They deliver a fast warm up times as low as 20 seconds or less (bizhub 364e/284e/224e) for quick device availability and energy conservation, while the fast first copy out time as low as 4.1 seconds (B&W on bizhub 554e) results in reduced waiting time at the MFP.

That professional touch

The new bizhub 754e and 554e series allow you to produce professional looking documents in-house. With 1200 dpi high resolution to provide clarity, together with the ability to print on paper stocks up to SRA3, and up to 300 gsm, you can confidently produce short-run in-house documents like training materials quickly and efficiently at a lower cost

FS-533/FS-534/FS-535 Finishing tasks and necessary options.



Trailblazing mobility for the

wireless office

The printing and scanning requirements of the modern office extend far beyond wired communication. You have to be able to print, scan and store documents remotely without being physically wired to the device, and that's exactly what the exciting new bizhub 754e and 554e series deliver.





Break free of your desk

The bizhub 754e and 554e series represent an evolution in MFP technology. They allow you to send and retrieve information directly to and from the cloud*, as well as, print directly from servers, USB devices, smartphones and tablets.

*Not available at time of launch

PageScope Mobile app

Equipped with this amazing app, you'll be able to harness the power of the bizhub 754e and 554e series to direct print or scan, to and from, your mobile devices directly to any networked bizhub device. The result is an office that is effectively a wireless environment.



Extended capability with improved solutions integration

The bizhub 754e and 554e series are equipped with our proprietary bizhub Extended Solution Technology (bEST). This open platform technology allows seemless integration with software programs from Konica Minolta and third party software developers. This software helps speed up workflow, manages print production, performs account tracking and cost recovery, creates direct mail promotions and more.

Efficient capture and distribution

The new bizhub 754e and 554e series offer a gateway to extended document capture and distribution capability via third party software applications. Document archiving can be begin at the touch panel, where users can input all required information during the scan process to eliminate further intervention via a PC.

Better costs management

The bizhub 754e and 554e series come with new log management features that help you better manage the cost of printing in your office or department. The expanded log now allows you to compile logs for both meter readings and accounts, as well as, for audits. This means that administrators can easily control output volumes and help you to maintain a healthy bottom line by keeping a lid on print costs.

Improve security and privacy law compliance

The bizhub 754e and 554e series feature a number of in-built security functions to assist with safeguarding confidential information and compliance with privacy laws. These include:

- Administrator Passwords
- Hard drive Lock Password
- Hard drive encryption
- Hard drive automatic data deletion

These features can be self-installed. Alternatively our service technicians can assist you in activating these services at time of installation.*

*Optional



OPS

Konica Minolta's Optimised Print Services (OPS) combines consultancy, hardware, document and print management solutions with proactive services and supplies, tailoring improvement strategies to lower your costs and improve the efficiencies of your print environment.

Linking three essential business functions; consulting, implementation and management, Konica Minolta's OPS solution provides services which focus on fleet, process, finance, security and green initiatives. Through OPS, Konica Minolta works with your business to analyse your print environment, right-size your fleet, optimise your workflow and improve business processes.

Security

Konica Minolta provides a professional security service that will configure the security settings on your A3 MFP according to your requirements, to make sure that your data is protected.

Let our expert technicians take care of your security needs and get peace of mind with OPS bizhub SECURE.

Reliable authentication

Save time and improve efficiency with authentication technology available with the bizhub 754e and 554e series. The functionality simplifies job management, increases job security and helps prevent unauthorised processing.



Strong eco credentials to reduce your impact on the environment

Meet environmental standards without loss of performance with the new bizhub 754e and 554e series. Based on our total design philosophy, our new range of A3 monochrome multifunction printers are manufactured using recycled plastic and bio-plastic materials.

The new bizhub range is a star energy saver: By utilising the My Tab function, Sleep mode power consumption can be effectively reduced to as low as 1W, plus the lower TEC* values have resulted in Energy Star certification. Reduced power consumption ultimately reduces your environmental footprint and of course power costs.

Eco-friendly toner: Konica Minolta takes its commitment to the environment seriously, so it was only natural that they have created a plant based toner. Not only does it deliver better quality prints, but it also helps reduce your carbon footprint.

Planet Ark program: Konica Minolta has partnered with Planet Ark to offer recycling of all used Konica Minolta toner cartridges free of charge.

*TEC (Typical Energy Consumption) is the method used by **Energy Star**

Technical specifications.

General Specifications		bizhub 754e	bizhub 654e	bizhub 554e	bizhub 454e	bizhub 364e	bizhub 284e	bizhub 224e
Туре		Monochrome Printer	Monochrome Printer / Monochrome Copier / Colour Scanner					
Resolution	Scan	Main 600 dpi x Sub. 600 dpi						
	Print	Copy: Main; 600 dpi × Sub; 600 dpi / Print: Main; 1,200 dpi × Sub; 1,200 dpi						
Memory Capacity (Std. / M	lax)	2 GB / 4 GB						
HDD		2 007 4 00 250 GB						
Gradation		250 db						
Original Type		Sheets, Books, Objects						
Max. Original Size		onetis, buoks, dujetis						
Output Size		SRA3 to A5, B6 Lengthwise, A6 Lengthwise Thick Paper, Foolscap* (200 mm × 330 mm), 8K, 16K, Long Length Paper (210 × 457.3 mm to 297 × 1,200 mm) ** 5 et by Customer engineer						
Image Loss		Max. 4.2 mm or less for top edge (5 mm for thin paper), Max. 3 mm or less for bottom edge, Max. 3 mm or less for right / left edges *A loss of 4.2 mm each during printing.						
Warm-Up Time *Warm-up time may vary depending on the operating environment and usage. *The time required to start printing when the main power switch is ON and the sub-power switch is turned from OFF to ON. (23°C, std. voltage)		B&W: 22 sec. or less	B&W: 22 sec. or less	B&W: 22 sec. or less	B&W: 25 sec. or less	B&W: 20 sec. or less	B&W: 20 sec. or less	
First Copy Out Time * A4 / Letter crosswise, full size, using the first tray, scanning from the original glass surface.		B&W: 4.1 sec. or less	B&W: 4.1 sec. or less	B&W: 4.1 sec. or less	B&W: 4.6 sec. or less	B&W: 5.3 sec. or less	B&W: 5.9 sec. or less	B&W: 6.9 sec. or less
Copy Speed (A4 / Letter Crosswise)		B&W: 75 ppm	B&W: 65 ppm	B&W: 55 ppm	B&W: 45 ppm	B&W: 36 ppm	B&W: 28 ppm	B&W: 22 ppm
	Fixed Same Magnification	1: 1±0.5% or less						
	Scaling Up		1: 1.154/1.224/1.414/2.000					
	Scaling Down	1: 0.866 / 0.816 / 0.707 / 0.500						
Copy Magnification	Preset		3 types					
	Zoom	25 to 400% (in 0.1% in	25 to 400% (in 0.1% increments)					
	Lengthwise Crosswise Individual Settings	25 to 400% (in 0.1% in	25 to 400% (in 0.1% increments)					
	Tray 1	500 sheets (up to A3)						
Paper Capacity	Tray 2	500 sheets (up to SRA3)						
(80 g / m2)	Tray 3 [†]	1500 sheets (Standard) n/a						
(00 g / 1112)	Tray 4 [†]	1500 sheets (Standard) n/a						
	Multiple Bypass Tray	150 sheets (up to SRA	3)			0.050 1 1		
Max. Paper Capacity (80g / m2)		6,650 sheets 3,650 sheets						
Paper Weight	Tray 1 / 2 Multiple Bypass Tray	52 to 256 g / m2						
Multiple Bypass Tray Multiple Copy		52 to 300 g / m2 1 to 9.999 sheets						
Туре		T U 9,595 SHEETS NOn-STack						
Auto Duplex	Paper Size	NUIT-SLADA Width: 100 to 320 mm. Lenoth: 148 to 457.2 mm						
Jupion	Paper Weight	52 to 256 a / m2						
Power Requirements		AC220 to 240 V 9 A (50 to 60 Hz)						
Max. Power Consumption		2.1 kW or less 2.1 kW or less 2.0 kW or less 1.58 kW or less						
Dimensions [W] \times [D] \times [H] mm		650 × 799 × 1155 650 × 799 × 1155 615 × 685 × 921 615 × 685 × 779*1						
Weight		179kg	179kg	Approx. 101 kg		Approx. 85 kg		
Space Requirements *2 [W] × [D] mm		988 × 1525	988 × 1525	937 × 1246		937 × 1214		

^{*1} Without ADF *2 Without options, with paper trays pulled out, and multiple bypass tray, auxiliary tray and ADF opened. † Standard with 754e/ 654e only

Printer Specifications (Standard)

Filliter Specificatio	i is (Otalidald)		
Type		Embedded	
CPU		SOC 800 MHz (DualCore)	
Memory		Shared with the copier	
HDD		250 GB (shared with the copier)	
Print Speed		Same as Copy Speed (when using the same original)	
Print Resolution		$1,200 \times 1,200 \text{ dpi}$	
PDL		PostScript 3 (CPSI 3016), PCL5e/c, PCL6 (Ver. 3.0), XPS Ver. 1.0	
Protocol		TCP / IP, IPX/SPX (NDS support), SMB (NetBEUI), LPD, IPP1.1, SNMP, HTTP	
Support OS		Windows 2000 / XP / XP 64bit / Vista / Vista 64bit / 7/7 64bit / 8 / 8 64bit / Server 2003 / Server 2003 64bit / Server 2003 R2 / Server 2003 R2 / Server 2003 R2 / Server 2008	
Fonts	PCL	4 Japanese fonts (HG Mincho L / HG P Mincho L / HG Gothic B/HGP Gothic B), 80 Roman fonts	
	PS	2 Japanese fonts (HG mincho L / HG Gothic B), 137 Roman Type1 fonts	
Interface		Ethernet (10BASE-T / 100BASE-T X / 1000BASE-T), USB 1.1, USB 2.0, USB Host	

Scanning Specifications (Standard)

Scariffing Specif	icalions (Standard)			
Туре		Full-Colour Scanner		
Interface		Ethernet (10BASE-T / 100BASE-TX / 1000BASE-T)		
Driver		TWAIN Driver, HDD TWAIN Driver		
Protocol		TCP/IP (FTP, SMB, SMTP)		
Scanning Speed		Colour / B&W: 80 opm (300 dpi, A4 / Letter Crosswise) Colour / B&W: 160 opm DF-701 (300 dpi, A4 / Letter Crosswise)	Colour/B&W: 80 opm DF-624 (300 dpi, A4 / Letter Crosswise) Colour/B&W: 160 opm DF-701 (300 dpi, A4 / Letter Crosswise)	
Scanning Size		Max. A3		
Output Format		TIFF, JPEG, PDF, Compact PDF, XPS, Compact XPS, PPTx, DOCx*, XLSx*, Searchable PDF*, PDF / A*, Linearised PDF *optional		
Scanning Resolution Push		200 dpi / 300 dpi / 400 dpi / 600 dpi		
ocanning nesolution	Pull	100 dpi / 200 dpi / 300 dpi / 400 dpi / 600 dpi		
Main Functions		Scan to E-Mail, Scan to FTP, Scan to BOX (HDD), Scan to PC (SMB), Network TWAIN, Scan to WebDAV, Scan to Me, Scan to Home, Scan to USB, Scan to Scan Server, Scan to Web Service (WSD-Scan), Device Profile for Web Services (DPWS)		
Other Functions		Multi-Method Send, Authentication at the time of E-Mail send (SMTP authentication, POP before SMTP), S / MIME, Annotation		

Fax Kit FK-511 (Optional)

(1)	
Communication	Super G3
Compatible Lines	Public Switch Telephone Network, Private Branch Exchange, Fax Communication Line
Line Density	G3 (8 dot / mm × 3.85 line/ mm, 600 × 600 dpi)
Modem Speed	2.4 to 33.6 kbps
Compression	MH/MR/MMR/JBIG
Sending Paper Size	Max. A3 (Long Length Support: Max.1,000 mm)
Recording Paper Size	Max. A3 (Long Length Max. 1,000 mm — following the page division —)
Transmission Speed	Less than 3 sec. (A4, V.34, 33.6 kbps, JBIG)
Scanning Speed	55 opm (A4 / Letter, 600 dpi)
Memory	Shared with the copier
Number of Abbr. Dials	2,000
Number of Program Dials	400
Number of Group Dials	100
Sequential Multiple Station Transmission	Max. 600

Product appearance, configuration and/or specifications are subject to change without notice. The Konica Minolta logo and the symbol mark, and "The essentials of imaging" are registered trademarks or trademarks of Konica Minolta Holdings, inc. bizhub, PageScope, Simitri and the Emperon logo are registered trademarks or trademarks of KONICA MINOLTA BUSINESS TECHNOLOGIES, INC.
Windows is a registered trademark of Microsoft Corporation in the United States and other countries.
Adobe and PostScript are registered trademarks or trademarks of Adobe Systems Incorporated.
All other brand and product names are registered trademarks or trademarks of their respective owners.

- Please read and follow the instruction manual to ensure safe operation.
 Only operate using appropriate power supply and voltage.
 Connecting the earth wire to an inappropriate place may cause explosion or electric shock. Please connect accordingly (Taiwan and the Philippines only).

iriterriet rax (Stariuaru)	
Protocol	SMTP, POP
Connection Mode	Full-Mode
Sending Paper Size	A3, B4, A4
Recording Paper Size	Max A3
Resolution	200×100 dpi, 200×200 dpi, 400×400 dpi, 600×600 dpi
Interface	Ethernet (10BASE-T / 100BASE-TX / 1000BASE-T)
Colour	Support Colour Internet Fax
Format	Send: TIFF-F, Receive: TIFF-F Colour / Grey Scale: TIFF (RFC3949 Profile-C)



Konica Minolta Business Solutions Australia Pty Ltd Free call 1800 789 389 konicaminolta.com.au