

- > Color MFP
- > Up to 30 PPM Color
- > Medium Workgroup
- > Copy, Print, Scan, Fax
- > Secure MFP
- > Eco Features

E-STUDIO™2040c/2540c/3040c



Color from Toshiba is more versatile than ever.

The e-STUDIO2040c/2540c/3040c from Toshiba bring mid-volume workgroups impressive color and high-volume black and white, including copy, print, scan and fax capabilities. Now, thanks to the integration of the new generation e-BRIDGE platform, features can be added later—similar to the way apps are added to smart phones. This platform also provides increased security, connectivity, manageability and energy saving. Yet another technological advancement from Toshiba.

This changes everything

Since today's MFPs are also used as IT devices, the new e-BRIDGE controller provides seamless compatibility with networks and management systems. Administrators can quickly and easily perform initial settings as well various management tasks such as those involving users throughout the system, targeted security, and multiple devices. They can also perform tasks that previously required a service technician like installing multiple systems, upgrading software using patches, cloning, and changing settings. e-BRIDGE allows for seamless integration with core business applications to streamline workflows. It allows you to keep up with changing technology, too. As new applications for advanced features and functions are developed, they can simply be added on.

Performance you've come to expect

The e-STUDIO2040c/2540c/3040c offer high-speed color and black and white at speeds up to 30 pages per minute. Image quality meets
Toshiba's standard of excellence, above and beyond the typical industry standard. Add to that robust paper handling, Gigabit connectivity, network scanning and printing, an optional dual-line, high-volume Super Group 3 fax, and the ability to perform a multitude of tasks without interruption. Not to mention advanced security features, increased energy efficiency, and enhanced connectivity.





Multiple functions, innumerable benefits.













An administrator can easily connect with multiple networks and their management systems.

Universal Printer Driver

You can print on any current e-STUDIO series model without adding another driver and settings are easily applied to multiple PCs.

Cluster printing

An optional e-BRIDGE Job Point commands the distribution of print jobs of up to ten e-STUDIO models linked by a network.

Increased capacity

Two 550-sheet universal cassettes come standard, and two 550-sheet cassettes can be added as well as a 2,500-sheet tandem feeder. Using a 100-sheet bypass, the total capacity is 3,700 sheets from 4 different paper sources.

Banner printing

You can print impressive full color banners, posters and signs up to 12" by 47".



- > Job Skip/Print Standby
- > Universal Print Driver
- > Standard Tandem Printing
- > Cluster Printing



Finisher options include a 50-sheet multi-position stapling finisher or saddle-stitched finisher for booklets up to 60 pages as well as a hanging finisher that staples 50 sheets and holds up to 1000 pages.

Network scanning

Capture one or two sided originals at speeds up to 57 images per minute for monochrome or color, while the scanner detects the size of the original, determines whether it's in color or black and white, the Automatic Paper Selection chooses the proper paper size for output.

EFI Fiery Controller

An optional Fiery server includes innovative new features like EFI ColorWise, EFI WebTools and LDAP support as well as tight integration with several new proprietary Toshiba technologies.

The e-BRIDGE Replicator

When installed as an option, you can easily output vouchers and invoices using normal copy paper from one drawer and colored copy paper from another for duplicate copies. This is a more economical solution to pre-printed multi-part forms.

Cloud connections

With cloud connection capability, you can scan-to and access documents stored in popular cloud based collaboration services such as Google Docs. Using Toshiba's Advanced Scanning technology, documents can be scanned and stored in modifiable formats such as Microsoft Word and Excel for the utmost in mobile user productivity.

Plug-in features

PDF/A features, customized features and the like can be added quickly by simply plugging them in.

Easily Replaceable Units

Restore operation quickly with easily replaceable maintenance units.

Job Skip

A job in standby mode can begin printing ahead of a job that has been halted because a certain paper size has run out.

Industry leaders, managed print experts.

In addition to improved functionality, connectivity, and solutions readiness, the new e-STUDIO2040c/2540c/3040c also allow for increased security, energy savings, and manageability. While our previous MFPs were excellent in those categories, at Toshiba, we don't simply settle for excellence.



More secure than ever

A higher level of security is achieved in several ways, including more administrator control with simple operation of advanced features. A Hard Disk AES Encryption feature and Data Overwrite come standard. and permit a security mode which complies with IEEE 2600.1—the highest security level of its kind. In fact, data remains secure even if the hard drive is stolen. Other top security features include a secure PDF encryption feature with up to 128-bit AES, IP/ MAC address filtering, Role Based Access Control, an SNMPv3 protocol for enhanced security administration, and an optional IPSec protocol.



Doing more for our planet

Toshiba has always worked hard to keep environmental impact to a minimum, developing many of the world's leading technologies to conserve energy and protect the environment. The e-STUDIO2040c/2540c/3040c are proof of that. A dramatic reduction in power consumption during the sleep mode—down to 5W—has been achieved, as well as an overall reduction of power by as much as 40%. The new design incorporates 30% recycled plastics, which is part of the reason there has been an impressive reduction in carbon dioxide. This new line of MFPs also qualifies for Energy Star Tier 2 compliance.



Your Managed Print Experts

The e-STUDIO2040c/2540c/3040c puts far more control in your hands. If you'd like to optimize your entire fleet of MFPs, copiers and printers, turn to our Managed Print Experts. We can help you find ways to control costs and save up to 40% on your document output expenses. Learn how to print smarter using rules-based network printing that allows you to set printing parameters such as size, volume and color restrictions. We'll also analyze your entire document fleet to find points of vulnerability and develop the best security plan for your business. In short, you can save money and the environment while working smarter and more securely, thanks to Toshiba's Managed

Print Experts.



©-STUDIO 2040c/2540c/3040c





- > Color MFP
- > Up to 30 PPM
- > Medium Workgroup
- > Copy, Print, Scan, Fax
- > Secure MFP
- > Eco Features

Specifications

Copying Process 4-Drum Electrostatic Photographic
Transfer System with Internal Transfer Belt

Copying Type 4-Beam Color Laser (8 bit)

Copy/Print Resolution
Copy/Print Speed
600 x 600 dpi (2,400 x 600 dpi B&W)
e-STUDIO2040c - 20 PPM Color / B&W
e-STUDIO2540c - 25 PPM Color / B&W

e-STUDIO2540C - 25 PPM Color / B&W

Warm-Up Time Approx. 99 Seconds

First Copy Out Time e-STUDIO2040c - 8.4 Seconds Color / 6.5 Seconds B&W

e-STUDIO2540c - 8.4 Seconds Color / 6.5 Seconds B&W e-STUDIO3040c - 8.4 Seconds Color / 6.5 Seconds B&W

Duty Cycle 40K / 50K / 60K Copies

Multiple Copying Up to 999 Copies Acceptable Paper Size Cassette: ST-R to

Acceptable Paper Size Cassette: ST-R to LD (17 lb Bond - 140 lb Index) and Weight Bypass: ST-R to 12" x 47" (17 lb Bond - 100 lb Cover)

PFP: ST-R to LD (17 lb Bond - 140 lb Index)

LCF: LT (17 lb - 28 lb Bond)

Memory (Max)

Main Memory: 1 GB

Page Memory: 512 MB

HD: 80 + GB 25% to 400%

Reduction/Enlargement 25% to 400% Bypass 100-Sheet "Smart" Bypass (17 lb Bond - 100 lb Cover)

Control Panel Color 8.5" WVGA Tiltable LCD Touch Panel Paper Supply Up to 3,700-Sheet Input Capacity

Standard 2 x 550-Sheet Cassettes

100-Sheet Bypass

Optional 1 x 550-Sheet PFP, 1 x 550-Sheet Cassette

1 x 2,500-Sheet LCF

Duplex Standard Trayless Automatic Duplex Unit

(17 lb Bond - 140 lb Index)

Dimensions Approx. 30" x 28" x 29" (W x D x H)

Weight Approx. 267 lb

Minimum Footprint Req. 39.53" x 28.31" (W x D)
CMYK Toner Yield CMY: 26.8K, BK: 34.2K
Power Supply 115 V, 15 Amps
Power Consumption Maximum 1.5 kW

Print Specifications

PDL Support PCL6 and PostScript 3

Operating Systems Netware 6.x, Windows XP, Windows Server 2003, 2008,

Citrix MetaFrame, Macintosh, Linux, UNIX

Protocol Support IPX/SPX, TCP/IP, Ethertalk, AppleTalk,

NetBIOS Over TCP/IP, LPR/LPD, IPP, SMB, SNMP,

Netware, Port 9100, Bluetooth (HCRP)

Drivers Windows 2000, Server 2003/2008-Windows 7, XP

Macintosh 10.1/10.2/10.3, 10.4, 10.5 UNIX, AS400 via iData & Port 9100, SAP R/3

Connectivity 10/100/1000BaseTX Ethernet, 802.11b/g

Wireless LAN, USB, Bluetooth (HCRP)

Device Management TopAccess

Certification Windows (XP, Vista, 7, 2003, 2008) (WHQL) Novell

Scan Specifications

Scan Resolution 100 dpi, 150 dpi, 200dpi, 300 dpi, 400 dpi, 600 dpi Scan Speed 57 SPM Color / 57 SPM B&W (@ 300 dpi) File Format TIFF, PDF, Secure PDF, Slim PDF, JPEG, XPS

Facsimile Specifications

Compatibility Super G3

Data Compression MH / MR / MMR / JBIG
Transmission Speed Approx. 3 Seconds Per Page

Fax Modem Speed 33.6 Kbps

Memory Transmission 100 Jobs, 1,000 Destinations Max.

400 Destinations /Job

Scan Speed .7 Seconds Per Page, Maximum 55 SPM

E-Filing Spcifications

Operation Method Color Touch Screen Control Panel or Client PC Number of Boxes 1 Public Box, 200 Private User Boxes

Capacity of Boxes 100 Folders Per Box, 400 Documents Per Folder

200 Pages Per Document

Security (Standard)

Data Encryption 128 Bit AES

HDD Overwrite Meets Department of Defense (DoD) standard 5220.22M

Authentication LDAP, SMTP, Windows Server Domain

Accessories (Options)

Additional Paper Options

RADF: 100 Sheets MR3021
Paper Feed Pedestal: 550-Sheet Pedestal, Statement-R to Ledger KD1027
Cassette Module: 550-Sheet Pedestal, Statement-R to Ledger MY1035
Large Capacity Feeder (LCF): 2,500-Sheet Drawer, Letter KD1028

Finishing Options

Multi Position Finisher: Stationary Tray: 250-Sheets (Lt)

MJ1101

Tray 1 Stack Capacity: 2,500 Sheets (Lt)

Staple Capacity: 50 Sheets

Saddle-Stitch Finisher: Stationary Tray: 250-Sheets (It) MJ1106

Tray 1 Stack Capacity: 3,000 Sheets (Lt)

Staple Capacity: 50 Sheets

60 Pages (15 Sheets) SS Booklets Hanging Finisher

1 Tray: 1,000 Sheets (Lt)

Staple Capacity: 50 Sheets

Multi-Position Hole Punch Unit (for MJ1101, MJ1106)

Connectivity/Security Options

Bridge Kit Required with MJ1101, MJ1106, MJ1031 KN4530 EFI Controller (not available at launch) GA1211EX GD1250NX Fax Board 2nd Line Fax GD1260 Wireless LAN Adapter GN1060 Bluetooth Adapter GN2010 Wireless Antenna GN3010 Meta Scan Enabler for e-CONNECT GS1010 IP SEC Enabler GP1080 Advanced Scanning GB1280T

Miscellaneous Options

SmartCard Reader, HID iClass
SmartCard Reader, HID Prox
ART11230
SmartCard Reader, Inditag
SmartCard Reader, Inditag
ART12161
SmartCard Reader, LEGIC
SmartCard Reader, Multi ISO/Mifare
SmartCard Reader, Multi ISO
ART11242
Harness Kit for Coin Controller
ART11242
GQ1110



Web Site













MJ1031

MJ6103

Corporate Office 2 Musick, Irvine, CA 92618-1631

Tel: 949-462-6000

East Coast 959 Route 46 East, 5th Floor, Parsippany, NJ 07054

Tel: 973-3136-2700

Midwest 8770 W. Bryn Mawr Ave., Suite 700, Chicago, IL 60631

Tel: 773-380-6000

South 2037 Bakers Mill Rd., Dacula, GA 30019

Tel: 678-546-9385

West Coast 142 Technology, Suite 150, Irvine, CA 92618

Tel: 949-462-6262 www.copiers.toshiba.com

Designs and Specifications subject to change without notice. For best results and reliable performance, always use supplies manufacturer or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership or Availability. Toner yields are estimates based on 6% coverage, letter-size page. Driver and connectivity feature support varies by client/network operating system.

© 2011 Toshiba America Business Solutions, Inc. Electronic Imaging Division Inv. Code: ES2040C/3040C/3540C1